L Number	Hits	Search Text	DB	Time stamp
-	4	(map$5 near4 if-conversion) and (predicat$3 near4 (execution or instruction or optimi$5 or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:01
-	6	("5239663" | "5649135" | "5650936" | "5652835" | "5694577" | "5696956").PN.	USPAT	2004/03/20 12:20
-	3	5943499.URPN.	USPAT	2004/03/20 12:40
-	49	(optimi$5 or reduc$5 or replac$4 or minimi$5 or eliminat$4) near3 (predicat$3 near2 (instruction or statement or execution or operation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:06
-	44	((optimi$5 or reduc$5 or replac$4 or minimi$5 or eliminat$4) near3 (predicat$3 near2 (instruction or statement or execution or operation))) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:06
-	57	(optimi$5 or reduc$5 or replac$4 or minimi$5 or eliminat$4) near3 (predicat$3 near2 (instruction or statement or execution or operation or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:06
-	48	((optimi$5 or reduc$5 or replac$4 or minimi$5 or eliminat$4) near3 (predicat$3 near2 (instruction or statement or execution or operation or code))) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:21
-	5	(((optimi$5 or reduc$5 or replac$4 or minimi$5 or eliminat$4) near3 (predicat$3 near2 (instruction or statement or execution or operation or code))) and (@ad<=20010207 or @rlad<=20010207)) and (if-conversion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:15
-	11	(speculation or if-convers$3 or compensation) and (partial$3 adj2 (predicat$3 near5 (execution or code or instruction or operation)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:41
-	8	((speculation or if-convers$3 or compensation) and (partial$3 adj2 (predicat$3 near5 (execution or code or instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:37
-	5	(interpretation and compensation and speculation) and (predicat$5 near4 (execution or code or instruction and operation or statement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:29
-	4	((interpretation and compensation and speculation) and (predicat$5 near4 (execution or code or instruction and operation or statement))) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:35
-	27	((interpretation near8 optimi$5) or (interpret$6 near8 optimi$5).ab.) and 717/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:37
-	20	(((interpretation near8 optimi$5) or (interpret$6 near8 optimi$5).ab.) and 717/$) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:41
-	575	(speculation or compensation or interpret$5) and (if-convers$3 or (predicat$3 near5 (execution or code or instruction or operation)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:41

~		452	((speculation or compensation or interpret$5) and (if-convers$3 or (predicat$3 near5 (execution or code or instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:35
~		25	(((speculation or compensation or interpret$5) and (if-convers$3 or (predicat$3 near5 (execution or code or instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207)) and ((optimi$5 or reduc$5 or replac$4 or minimi$5 or eliminat$4) near3 (predicat$3 near2 (instruction or statement or execution or operation or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 11:50
~		1	((interpretation and compensation) same optimi$4) and 717/$ and predicat$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:44
~		10	(interpretation and compensation) and 717/$ and predicat$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 13:45
~		9	((interpretation and compensation) and 717/$ and predicat$4) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 15:32
~		7	("5632023" | "5758051" | "5799179" | "5901308" | "5999738" | "6260189" | "6442679").PN.	USPAT	2004/03/20 14:07
~		6	(Schlansker and Johnson).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 15:31
~		5	5920716.URPN.	USPAT	2004/03/20 14:21
~		7	("5920716" | "5937195" | "6009512" | "6157996" | "6260190" | "6282708" | "6594824").PN.	USPAT	2004/03/20 14:24
~		14	(compensation near2 code) and schedul$4 and predicat$5 and (717/$ or 711/$ or 712/$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 15:41
~		11	((compensation near2 code) and schedul$4 and predicat$5 and (717/$ or 711/$ or 712/$)) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 15:41
~		87	(interpretation) and schedul$4 and predicat$5 and (717/$ or 711/$ or 712/$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 15:41
~		72	((interpretation) and schedul$4 and predicat$5 and (717/$ or 711/$ or 712/$)) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:25
~		1	interpretation same ((predicated adj2 execution) or (predicat$3 near5 guard))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:22
~		38	(avoid$4 or replac$4 or eliminat$4) near6 ((predicat$3 near2 execution) or predication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:25

–	30	((avoid$4 or replac$4 or eliminat$4) near6 ((predicat$3 near2 execution) or predication)) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:48
–	10	(((avoid$4 or replac$4 or eliminat$4) near6 ((predicat$3 near2 execution) or predication)) and (@ad<=20010207 or @rlad<=20010207)) and ((avoid$4 or replac$4 or eliminat$4) adj6 ((predicat$3 near2 execution) or predication))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:29
–	3	predication near3 (hazards or fault or misprediction or interrupt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:33
–	2	6260189.URPN.	USPAT	2004/03/20 16:32
–	2	predication near3 (penalty or pitfall)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:34
–	33	(((speculation or compensation or interpret$5) and (if-convers$3 or (predicat$3 near5 (execution or code or instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207)) and ((interpretation) and schedul$4 and predicat$5 and (717/$ or 711/$ or 712/$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:42
–	3	((((speculation or compensation or interpret$5) and (if-convers$3 or (predicat$3 near5 (execution or code or instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207)) and ((interpretation) and schedul$4 and predicat$5 and (717/$ or 711/$ or 712/$))) and if-conversion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:47
–	16	if-conversion·and predicat$3 and speculation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:47
–	10	(if-conversion and predicat$3 and speculation) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/20 16:48
–	5791	((717/2,6,5,9,140-161) or (712/207-219,234,239) or (714/2)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:51
–	0	(717/$ or 714/$ o4 711/$ or 712/$) and ((reduc$4 or minimi$6 or obviat$4 or eliminat$4 or optimi$6 or remov$4) near3 (use adj3 predicate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:33
–	166	(717/$ or 714/$ o4 711/$ or 712/$) and ((reduc$4 or minimi$6 or obviat$4 or eliminat$4 or optimi$6 or remov$4) near5 (predicat$4 or (predicate adj statement)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:34
–	494	((speculation or compensation or interpret$5) and (if-convers$3 or (predicat$3 near5 (execution or code or instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 09:35

–	39	((717/$ or 714/$ o4 711/$ or 712/$) and ((reduc$4 or minimi$6 or obviat$4 or eliminat$4 or optimi$6 or remov$4) near5 (predicat$4 or (predicate adj statement)))) and (((speculation or compensation or interpret$5) and (if-convers$3 or (predicat$3 near5 (execution or code or instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 11:24	
–	9	(((717/$ or 714/$ o4 711/$ or 712/$) and ((reduc$4 or minimi$6 or obviat$4 or eliminat$4 or optimi$6 or remov$4) near5 (predicat$4 or (predicate adj statement)))) and (((speculation or compensation or interpret$5) and (if-convers$3 or (predicat$3 near5 (execution or code or instruction or operation)))) and (@ad<=20010207 or @rlad<=20010207))) and ((pre-empt$5 or replac$5 or substitu$6 or swap$5) adj3 (predicat$5 or (predicated adj2 execution)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 11:45	
–	7	(replac$4 or substitut$5 or chang$4 or modif$4) adj ((predicat$3 adj2 (statement or expresssion or instruction or execution)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 11:49	
–	5	((replac$4 or substitut$5 or chang$4 or modif$4) adj ((predicat$3 adj2 (statement or expresssion or instruction or execution)))) and (@ad<=20010207 or @rlad<=20010207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 11:50	

C:\APPS\EAST\Workspaces\09778424.wsp